

that species and varying but very little which is rare in a rubus, but it deserves to be kept distinct for what is perhaps the most important reason for recording a species — it is widely distributed.

In 1909, I found it in New Brunswick at St. Stephen near Calais, Maine, at Ingleside and Great Bay near St. John, and at Moncton and Painsec Junction thus crossing the province. In Nova Scotia I collected it around Yarmouth and it was very common (for blackberries) in the Annapolis Valley — at Digby, Middleton, Bridgetown and Kentville, and occurred in two places in Pictou. I now offer for a name

Rubus amicalis nov. nom. *R. amabilis* Blanchard, RHODORA VIII, 173 (1906).— W. H. BLANCHARD, Portsmouth, New Hampshire.

A CORRECTION REGARDING PROFESSOR PENHALLOW.—In my sketch of David Pearce Penhallow in RHODORA for January, 1911, I inadvertently omitted to insert the word Agricultural after the word Amherst in the 2d line of the last paragraph on page 2. Dr. Penhallow was graduated at the Massachusetts Agricultural College, not at Amherst College, both of which institutions are in Amherst, Massachusetts.— WALTER DEANE, Cambridge, Massachusetts.

Vol. 13, no. 146, including pages 17 to 36, was issued 12 February, 1911.